

2011

- 
- Aquino D, Schonle A, Geisler C, Middendorff CV, Wurm CA, Okamura Y, **Lang T**, Hell SW and Egner A. (2011). Two-color nanoscopy of three-dimensional volumes by 4Pi detection of stochastically switched fluorophores. *Nature methods*, 8(4), 353-359.
- Bajorath J**, Barreca ML, Bender A, Bryce R, Hutter M, Laggner C, Laughton C, Martin Y, Mitchell J, Padova A, Renner S, Selzer PM, Sherman W, Sippl W, Taft C, Tuccinardi T, Vistoli G and Willett P. (2011). Ask the experts: focus on computational chemistry. *Future medicinal chemistry*, 3(8), 909-921.
- Bao M, Kanter EM, Huang RY, Maxeiner S, Frank M, Zhang Y, Schuessler RB, Smith TW, Townsend RR, Rohrs HW, Berthoud VM, **Willecke K**, Laing JG and Yamada KA. (2011). Residual Cx45 and its relationship to Cx43 in murine ventricular myocardium. *Channels*, 5(6), 489-499.
- Batista J**, Schlechtingen G, Friedrichson T, Braxmeier T and **Bajorath J**. (2011). Lipid-like sulfoxides and amine oxides as inhibitors of mast cell activation. *European journal of medicinal chemistry*, 46(6), 2147-2151.
- Bauer N, Wilsch-Brauninger M, Karbanova J, Fonseca AV, Strauss D, Freund D, **Thiele C**, Huttner WB, Bornhauser M and Corbeil D. (2011). Haematopoietic stem cell differentiation promotes the release of prominin-1/CD133-containing membrane vesicles--a role of the endocytic-exocytic pathway. *EMBO molecular medicine*, 3(7), 398-409.
- Beyer M** and **Schultze JL**. (2011). Plasticity of T(reg) cells: is reprogramming of T(reg) cells possible in the presence of FOXP3? *International immunopharmacology*, 11(5), 555-560.
- Beyer M**, **Classen S**, Endl E, Kochanek M, Weihrauch MR, **Debey-Pascher S**, Knolle PA and **Schultze JL**. (2011). Comparative approach to define increased regulatory T cells in different cancer subtypes by combined assessment of CD127 and FOXP3. *Clinical & developmental immunology*, 2011, 734036.
- Beyer M**, Thabet Y, Muller RU, Sadlon T, **Classen S**, Lahl K, Basu S, Zhou X, Bailey-Bucktrout SL, **Krebs W**, Schonfeld EA, Bottcher J, Golovina T, Mayer CT, **Hofmann A**, **Sommer D**, **Debey-Pascher S**, Endl E, Limmer A, Hippen KL, Blazar BR, Balderas R, **Quast T**, Waha A, **Mayer G**, **Famulok M**, Knolle PA, Wickenhauser C, **Kolanus W**, Schermer B, Bluestone JA, Barry SC, Sparwasser T, Riley JL and **Schultze JL**. (2011). Repression of the genome organizer SATB1 in regulatory T cells is required for suppressive function and inhibition of effector differentiation. *Nature immunology*, 12(9), 898-907.
- Bill A, Blockus H, **Stumpfe D**, **Bajorath J**, Schmitz A and **Famulok M**. (2011). A homogeneous fluorescence resonance energy transfer system for monitoring the activation of a protein switch in real time. *Journal of the American Chemical Society*, 133(21), 8372-8379.
- Blankenship AG, Hamby AM, Firl A, Vyas S, **Maxeiner S**, **Willecke K** and Feller MB. (2011). The role of neuronal connexins 36 and 45 in shaping spontaneous firing patterns in the developing retina. *The Journal of neuroscience : the official journal of the Society for Neuroscience*, 31(27), 9998-10008.
- Campbell RE, Ducret E, Porteous R, Liu X, Herde MK, **Wellerhaus K**, **Sonntag S**, **Willecke K** and

- Herbison AE. (2011). Gap junctions between neuronal inputs but not gonadotropin-releasing hormone neurons control estrous cycles in the mouse. *Endocrinology*, 152(6), 2290-2301.
- Debey-Pascher S, Hofmann A, Kreusch F, Schuler G, Schuler-Thurner B, Schultze JL and Staratschek-Jox A.** (2011). RNA-stabilized whole blood samples but not peripheral blood mono-nuclear cells can be stored for prolonged time periods prior to transcriptome analysis. *The Journal of molecular diagnostics : JMD*, 13(4), 452-460.
- Degen J, Schutz M, Dicke N, Strenzke N, Jokwitz M, Moser T and Willecke K.** (2011). Connexin32 can restore hearing in connexin26 deficient mice. *European journal of cell biology*, 90(10), 817-824.
- Dicke N, Pielensticker N, Degen J, Hecker J, Tress O, Bald T, Gellhaus A, Winterhager E and Willecke K.** (2011). Peripheral lymphangiogenesis in mice depends on ectodermal connexin-26 (Gjb2). *Journal of cell science*, 124(Pt 16), 2806-2815.
- Dimova D, Wawer M, Wassermann AM and Bajorath J.** (2011). Design of multitarget activity landscapes that capture hierarchical activity cliff distributions. *Journal of chemical information and modeling*, 51(2), 258-266.
- Dochow S, Krafft C, Neugebauer U, Bocklitz T, Henkel T, Mayer G, Albert J and Popp J. (2011). Tumour cell identification by means of Raman spectroscopy in combination with optical traps and microfluidic environments. *Lab on a chip*, 11(8), 1484-1490.
- Drexler JF, Corman VM, Wegner T, Tateno AF, Zerbinati RM, Gloza-Rausch F, Seebens A, Muller MA and Drosten C. (2011). Amplification of emerging viruses in a bat colony. *Emerging infectious diseases*, 17(3), 449-456.
- Fairn GD, Schieber NL, Ariotti N, Murphy S, Kuerschner L, Webb RI, Grinstein S and Parton RG. (2011). High-resolution mapping reveals topologically distinct cellular pools of phosphatidylserine. *The Journal of cell biology*, 194(2), 257-275.
- Famulok M and Mayer G.** (2011). Aptamer modules as sensors and detectors. *Accounts of chemical research*, 44(12), 1349-1358.
- Farwanah H, Kolter T and Sandhoff K.** (2011). Mass spectrometric analysis of neutral sphingolipids: methods, applications, and limitations. *Biochimica et biophysica acta*, 1811(11), 854-860.
- Fischer N and Kandt C. (2011). Three ways in, one way out: water dynamics in the trans-membrane domains of the inner membrane translocase AcrB. *Proteins*, 79(10), 2871-2885.
- Frateschi S, Camerer E, Crisante G, Rieser S, Membrez M, Charles RP, Beermann F, Stehle JC, Breiden B, Sandhoff K, Rotman S, Haftek M, Wilson A, Ryser S, Steinhoff M, Coughlin SR and Hummler E. (2011). PAR2 absence completely rescues inflammation and ichthyosis caused by altered CAP1/Prss8 expression in mouse skin. *Nature communications*, 2, 161.
- Fustero S, Rodrigo V, Sanchez-Rosello M, del Pozo C, Timoneda J, Frizler M, Sisay MT, Bajorath J, Calle LP, Canada FJ, Jimenez-Barbero J and Gutschow M. (2011). New cathepsin inhibitors to explore the fluorophilic properties of the S2 pocket of cathepsin B: design, synthesis, and biological evaluation. *Chemistry*, 17(19), 5256-5260.
- Gallala HD and Sandhoff K.** (2011). Biological function of the cellular lipid BMP-BMP as a key activator for cholesterol sorting and membrane digestion. *Neurochemical research*, 36(9), 1594-1600.
- Gallala HD, Breiden B and Sandhoff K.** (2011). Regulation of the NPC2 protein-mediated cholesterol trafficking by membrane lipids. *Journal of neurochemistry*, 116(5), 702-707.
- Garofalo K, Penno A, Schmidt BP, Lee HJ, Frosch MP, von Eckardstein A, Brown RH, Hornemann T and Eichler FS. (2011). Oral L-serine supplementation reduces production of neurotoxic deoxysphingolipids in mice and humans with hereditary sensory autonomic neuropathy type 1. *The Journal of clinical investigation*, 121(12), 4735-4745.
- Gosejacob D, Dublin P, Bedner P, Huttmann K, Zhang J, Tress O, Willecke K, Pfrieger F, Steinhauser C and Theis M.** (2011). Role of astroglial connexin30 in hippocampal gap junction coupling. *Glia*, 59(3), 511-519.
- Hagen N, Hans M, Hartmann D, Swandulla D and van Echten-Deckert G.** (2011). Sphingosine-1-phosphate links glycosphingolipid metabolism to neurodegeneration via a calpain-mediated

- mechanism. *Cell death and differentiation*, 18(8), 1356-1365.
- Heikamp K and Bajorath J.** (2011). How do 2D fingerprints detect structurally diverse active compounds? Revealing compound subset-specific fingerprint features through systematic selection. *Journal of chemical information and modeling*, 51(9), 2254-2265.
- Heikamp K and Bajorath J.** (2011). Large-scale similarity search profiling of ChEMBL compound data sets. *Journal of chemical information and modeling*, 51(8), 1831-1839.
- Hilgen G, von Maltzahn J, **Willecke K**, Weiler R and Dedek K. (2011). Subcellular distribution of connexin45 in OFF bipolar cells of the mouse retina. *The Journal of comparative neurology*, 519(3), 433-450.
- Hoffmann RW and **Famulok M**. (2011). Gernot Boche (1938-2011). *Angewandte Chemie*, 50(23), 5251-5252.
- Hu Y and Bajorath J.** (2011). Activity profile sequences: a concept to account for the progression of compound activity in target space and to extract SAR information from analogue series with multiple target annotations. *ChemMedChem*, 6(12), 2150-2154.
- Hu Y and Bajorath J.** (2011). Combining horizontal and vertical substructure relationships in scaffold hierarchies for activity prediction. *Journal of chemical information and modeling*, 51(2), 248-257.
- Hu Y and Bajorath J.** (2011). Target family-directed exploration of scaffolds with different SAR profiles. *Journal of chemical information and modeling*, 51(12), 3138-3148.
- Hu Y, Stumpfe D and Bajorath J.** (2011). Lessons learned from molecular scaffold analysis. *Journal of chemical information and modeling*, 51(8), 1742-1753.
- Iyer P and Bajorath J.** (2011). Representation of multi-target activity landscapes through target pair-based compound encoding in self-organizing maps. *Chemical biology & drug design*, 78(5), 778-786.
- Iyer P, Hu Y and Bajorath J.** (2011). SAR monitoring of evolving compound data sets using activity landscapes. *Journal of chemical information and modeling*, 51(3), 532-540.
- Iyer P, Stumpfe D and Bajorath J.** (2011). Molecular mechanism-based network-like similarity graphs reveal relationships between different types of receptor ligands and structural changes that determine agonistic, inverse-agonistic, and antagonistic effects. *Journal of chemical information and modeling*, 51(6), 1281-1286.
- Kolanus W. (2011). Neutrophils bridled by GAPs. *Blood*, 118(4), 832-834.
- Kolter T. (2011). A view on sphingolipids and disease. *Chemistry and physics of lipids*, 164(6), 590-606.
- Kreer C, Rauen J, Zehner M and Burgdorf S.** (2011). Cross-presentation: how to get there - or how to get the ER. *Frontiers in immunology*, 2, 87.
- Kumar S, Rezaei-Ghaleh N, Terwel D, Thal DR, **Richard M, Hoch M**, Mc Donald JM, Wullner U, Glebov K, Heneka MT, Walsh DM, Zweckstetter M and Walter J. (2011). Extracellular phosphorylation of the amyloid beta-peptide promotes formation of toxic aggregates during the pathogenesis of Alzheimer's disease. *The EMBO journal*, 30(11), 2255-2265.
- Kurt B, Kurtz L, Sequeira-Lopez ML, Gomez RA, **Willecke K**, Wagner C and Kurtz A. (2011). Reciprocal expression of connexin 40 and 45 during phenotypical changes in renin-secreting cells. *American journal of physiology. Renal physiology*, 300(3), F743-748.
- Li R, Stumpfe D, Vogt M, Geppert H and Bajorath J.** (2011). Development of a method to consistently quantify the structural distance between scaffolds and to assess scaffold hopping potential. *Journal of chemical information and modeling*, 51(10), 2507-2514.
- Lubkemeier I**, Machura K, Kurtz L, Neubauer B, Dobrowolski R, Schweda F, Wagner C, **Willecke K** and Kurtz A. (2011). The connexin 40 A96S mutation causes renin-dependent hypertension. *Journal of the American Society of Nephrology : JASN*, 22(6), 1031-1040.
- Lunse CE**, Schmidt MS, Wittmann V and **Mayer G**. (2011). Carba-sugars activate the glmS-riboswitch of *Staphylococcus aureus*. *ACS chemical biology*, 6(7), 675-678.
- Lynn BD, **Tress O**, May D, **Willecke K** and Nagy JI. (2011). Ablation of connexin30 in transgenic mice alters expression patterns of connexin26 and connexin32 in glial cells and leptomenin-

- ges. *The European journal of neuroscience*, 34(11), 1783-1793.
- Madsen DH, Ingvarsen S, Jurgensen HJ, Melander MC, Kjoller L, Moyer A, Honore C, Madsen CA, Garred P, **Burgdorf S**, Bugge TH, Behrendt N and Engelholm LH. (2011). The non-phagocytic route of collagen uptake: a distinct degradation pathway. *The Journal of biological chemistry*, 286(30), 26996-27010.
- Mayer G, Lennarz S, Rohrbach F and Tolle F.** (2011). Plug and play with RNA. *Angewandte Chemie*, 50(52), 12400-12401.
- Mayer G, Muller J and Lunse CE.** (2011). RNA diagnostics: real-time RT-PCR strategies and promising novel target RNAs. *Wiley interdisciplinary reviews. RNA*, 2(1), 32-41.
- Moessinger C, Kuerschner L, Spandl J, Shevchenko A and Thiele C.** (2011). Human lysophosphatidylcholine acyltransferases 1 and 2 are located in lipid droplets where they catalyze the formation of phosphatidylcholine. *The Journal of biological chemistry*, 286(24), 21330-21339.
- Muller J, Becher T, Braunstein J, Berdel P, Gravius S, **Rohrbach F**, Oldenburg J, **Mayer G** and Potzsch B. (2011). Profiling of active thrombin in human blood by supramolecular complexes. *Angewandte Chemie*, 50(27), 6075-6078.
- Nagy JI, Lynn BD, **Tress O, Willecke K** and Rash JE. (2011). Connexin26 expression in brain parenchymal cells demonstrated by targeted connexin ablation in transgenic mice. *The European journal of neuroscience*, 34(2), 263-271.
- Namasivayam V, Iyer P and Bajorath J.** (2011). Extraction of discontinuous structure-activity relationships from compound data sets through particle swarm optimization. *Journal of chemical information and modeling*, 51(7), 1545-1551.
- Niebel B, Weiche B, Mueller AL, Li DY, Karnowski N and Famulok M.** (2011). A luminescent oxygen channeling biosensor that measures small GTPase activation. *Chemical communications*, 47(26), 7521-7523.
- Nisius B and Bajorath J.** (2011). Mapping of pharmacological space. *Expert opinion on drug discovery*, 6(1), 1-7.
- Okamura Y, Schmidt R, Raschke I, Hintze M, Takeoka S, Egner A and Lang T.** (2011). A few immobilized thrombins are sufficient for platelet spreading. *Biophysical journal*, 100(8), 1855-1863.
- Peltason L and Bajorath J.** (2011). Computational analysis of activity and selectivity cliffs. *Methods in molecular biology*, 672, 119-132.
- Popovic ZV, Wang S, Papatriantafyllou M, Kaya Z, Porubsky S, Meisner M, Bonrouhi M, **Burgdorf S**, Young MF, Schaefer L and Grone HJ. (2011). The proteoglycan biglycan enhances antigen-specific T cell activation potentially via MyD88 and TRIF pathways and triggers autoimmune perimyocarditis. *Journal of immunology*, 187(12), 6217-6226.
- Quast T, Eppler F, Semmling V, Schild C, Homsi Y, Levy S, Lang T, Kurts C and Kolanus W.** (2011). CD81 is essential for the formation of membrane protrusions and regulates Rac1-activation in adhesion-dependent immune cell migration. *Blood*, 118(7), 1818-1827.
- Raunest M and Kandt C.** (2011). dxTuber: detecting protein cavities, tunnels and clefts based on protein and solvent dynamics. *Journal of molecular graphics & modelling*, 29(7), 895-905.
- Ripphausen P, Nisius B and Bajorath J.** (2011). State-of-the-art in ligand-based virtual screening. *Drug discovery today*, 16(9-10), 372-376.
- Ripphausen P, Nisius B, Wawer M and Bajorath J.** (2011). Rationalizing the role of SAR tolerance for ligand-based virtual screening. *Journal of chemical information and modeling*, 51(4), 837-842.
- Ripphausen P, Wassermann AM and Bajorath J.** (2011). REPROVIS-DB: a benchmark system for ligand-based virtual screening derived from reproducible prospective applications. *Journal of chemical information and modeling*, 51(10), 2467-2473.
- Rotthier A, **Penno A**, Rautenstrauss B, Auer-Grumbach M, Stettner GM, Asselbergh B, Van Hoof K, Sticht H, Levy N, Timmerman V, Hornemann T and Janssens K. (2011). Characterization of two mutations in the SPTLC1 subunit of serine palmitoyltransferase associated with hereditary sensory and autonomic neuropathy type I. *Human mutation*, 32(6), E2211-2225.
- Schulze H and Sandhoff K.** (2011). Lysosomal lipid storage diseases. *Cold Spring Harbor perspectives in medicine*, 2(1), 1-10.

- tives in biology*, 3(6).
- Schutz M, Auth T, Gehrt A, Bosen F, Korber I, Strenzke N, Moser T and **Willecke K.** (2011). The connexin26 S17F mouse mutant represents a model for the human hereditary keratitis-ichthyosis-deafness syndrome. *Human molecular genetics*, 20(1), 28-39.
- Singh SK, Streng-Ouweland I, Litjens M, Kalay H, **Burgdorf S**, Saeland E, Kurts C, Unger WW and van Kooyk Y. (2011). Design of neo-glycoconjugates that target the mannose receptor and enhance TLR-independent cross-presentation and Th1 polarization. *European journal of immunology*, 41(4), 916-925.
- Spandl J, Lohmann D, Kuerschner L, Moessinger C and Thiele C.** (2011). Ancient ubiquitous protein 1 (AUP1) localizes to lipid droplets and binds the E2 ubiquitin conjugase G2 (Ube2g2) via its G2 binding region. *The Journal of biological chemistry*, 286(7), 5599-5606.
- Stahl M and **Bajorath J.** (2011). Computational medicinal chemistry. *Journal of medicinal chemistry*, 54(1), 1-2.
- Stumpfe D and Bajorath J.** (2011). Assessing the confidence level of public domain compound activity data and the impact of alternative potency measurements on SAR analysis. *Journal of chemical information and modeling*, 51(12), 3131-3137.
- Stumpfe D, Lounkine E and Bajorath J.** (2011). Molecular test systems for computational selectivity studies and systematic analysis of compound selectivity profiles. *Methods in molecular biology*, 672, 503-515.
- Stumpges B and Behr M.** (2011). Time-specific regulation of airway clearance by the Drosophila J-domain transmembrane protein Wurst. *FEBS letters*, 585(20), 3316-3321.
- Tamboli IY, Hampel H, Tien NT, Tolksdorf K, **Breiden B**, Mathews PM, Saftig P, **Sandhoff K** and Walter J. (2011). Sphingolipid storage affects autophagic metabolism of the amyloid precursor protein and promotes Abeta generation. *The Journal of neuroscience : the official journal of the Society for Neuroscience*, 31(5), 1837-1849.
- Ter Braak M, Claas RF, Hegen B, Labocha S, Ferreiros N, Pfeilschifter J, Huwiler A, **van Echten-Deckert G** and Meyer Zu Heringdorf D. (2011). Cis-4-methylsphingosine is a sphingosine-1-phosphate receptor modulator. *Biochemical pharmacology*, 81(5), 617-625.
- Terme M, Ullrich E, Aymeric L, Meinhardt K, Desbois M, Delahaye N, Viaud S, Ryffel B, Yagita H, Kaplanski G, Prevost-Blondel A, Kato M, **Schultze JL**, Tartour E, Kroemer G, Chaput N and Zitvogel L. (2011). IL-18 induces PD-1-dependent immunosuppression in cancer. *Cancer research*, 71(16), 5393-5399.
- Tress O, Maglione M, Zlomuzica A, May D, Dicke N, Degen J, Dere E, Kettenmann H, Hartmann D and Willecke K.** (2011). Pathologic and phenotypic alterations in a mouse expressing a connexin47 missense mutation that causes Pelizaeus-Merzbacher-like disease in humans. *PLoS genetics*, 7(7), e1002146.
- Vinkenborg JL, Karnowski N and Famulok M.** (2011). Aptamers for allosteric regulation. *Nature chemical biology*, 7(8), 519-527.
- Voelzmann A and Bauer R.** (2011). Embryonic expression of Drosophila ceramide synthase schlank in developing gut, CNS and PNS. *Gene expression patterns : GEP*, 11(8), 501-510.
- Vogt M and Bajorath J.** (2011). Introduction of the conditional correlated Bernoulli model of similarity value distributions and its application to the prospective prediction of fingerprint search performance. *Journal of chemical information and modeling*, 51(10), 2496-2506.
- Vogt M and Bajorath J.** (2011). Predicting the performance of fingerprint similarity searching. *Methods in molecular biology*, 672, 159-173.
- Vogt M, Huang Y and Bajorath J.** (2011). From activity cliffs to activity ridges: informative data structures for SAR analysis. *Journal of chemical information and modeling*, 51(8), 1848-1856.
- von Bubnoff D, Scheler M, Wilms H, Wenzel J, von Bubnoff N, Hacker G, **Schultze J**, Popov A, Racz P, Bieber T and Wickenhauser C. (2011). Indoleamine 2,3-dioxygenase-expressing myeloid dendritic cells and macrophages in infectious and noninfectious cutaneous granulomas. *Journal of the American Academy of Dermatology*, 65(4), 819-832.
- von Maltzahn J, Wulf V, Matern G and Willecke K.** (2011). Connexin39 deficient mice display

- accelerated myogenesis and regeneration of skeletal muscle. *Experimental cell research*, 317(8), 1169-1178.
- Wassermann AM and Bajorath J.** (2011). A data mining method to facilitate SAR transfer. *Journal of chemical information and modeling*, 51(8), 1857-1866.
- Wassermann AM and Bajorath J.** (2011). BindingDB and ChEMBL: online compound databases for drug discovery. *Expert opinion on drug discovery*, 6(7), 683-687.
- Wassermann AM and Bajorath J.** (2011). Large-scale exploration of bioisosteric replacements on the basis of matched molecular pairs. *Future medicinal chemistry*, 3(4), 425-436.
- Wassermann AM, Dimova D and Bajorath J.** (2011). Comprehensive analysis of single- and multi-target activity cliffs formed by currently available bioactive compounds. *Chemical biology & drug design*, 78(2), 224-228.
- Wassermann AM, Geppert H and Bajorath J.** (2011). Application of support vector machine-based ranking strategies to search for target-selective compounds. *Methods in molecular biology*, 672, 517-530.
- Wassermann AM, Heikamp K and Bajorath J.** (2011). Potency-directed similarity searching using support vector machines. *Chemical biology & drug design*, 77(1), 30-38.
- Wawer M and Bajorath J.** (2011). Local structural changes, global data views: graphical substructure-activity relationship trailing. *Journal of medicinal chemistry*, 54(8), 2944-2951.
- Zander T, Hofmann A, Staratschek-Jox A, Classen S, Debey-Pascher S, Maisel D, Ansen S, Hahn M, Beyer M, Thomas RK, Gathof B, Mauch C, Delank KS, Engel-Riedel W, Wichmann HE, Stoelben E, Schultze JL and Wolf J. (2011). Blood-based gene expression signatures in non-small cell lung cancer. *Clinical cancer research : an official journal of the American Association for Cancer Research*, 17(10), 3360-3367.
- Zehner M, Chasan AI, Schuette V, Embgenbroich M, Quast T, Kolanus W and Burgdorf S.** (2011). Mannose receptor polyubiquitination regulates endosomal recruitment of p97 and cytosolic antigen translocation for cross-presentation. *Proceedings of the National Academy of Sciences of the United States of America*, 108(24), 9933-9938.