

2013

- Ackermann D** and **Famulok M**. (2013). Pseudo-complementary PNA actuators as reversible switches in dynamic DNA nanotechnology. *Nucleic acids research*, 41(8), 4729-4739.
- Bader R, Sarraf-Zadeh L, Peters M, **Moderau N**, Stocker H, Kohler K, **Pankratz MJ** and Hafen E. (2013). The IGFBP7 homolog Imp-L2 promotes insulin signaling in distinct neurons of the Drosophila brain. *Journal of cell science*, 126(Pt 12), 2571-2576.
- Balfer J**, **Vogt M** and **Bajorath J**. (2013). Searching for closely related ligands with different mechanisms of action using machine learning and mapping algorithms. *Journal of chemical information and modeling*, 53(9), 2252-2274.
- Beutner C, Linnartz-Gerlach B, **Schmidt SV**, **Beyer M**, Mallmann MR, **Staratschek-Jox A**, **Schultze JL** and Neumann H. (2013). Unique transcriptome signature of mouse microglia. *Glia*, 61(9), 1429-1442.
- Bottcher JP, Schanz O, Wohlleber D, Abdullah Z, **Debey-Pascher S**, **Staratschek-Jox A**, Hochst B, Hegenbarth S, Grell J, Limmer A, Atreya I, Neurath MF, Busch DH, Schmitt E, van Endert P, **Kolanus W**, Kurts C, **Schultze JL**, Diehl L and Knolle PA. (2013). Liver-primed memory T cells generated under noninflammatory conditions provide anti-infectious immunity. *Cell reports*, 3(3), 779-795.
- Breiden B** and **Sandhoff K**. (2013). The role of sphingolipid metabolism in cutaneous permeabilitybarrier formation. *Biochimica et biophysica acta*.
- Brondolin M**, **Berger S**, Reinke M, **Tanaka H**, Ohshima T, Fubeta B and **Hoch M**. (2013). Identification and expression analysis of the zebrafish homologs of the ceramide synthase gene family. *Developmental dynamics : an official publication of the American Association of Anatomists*, 242(2), 189-200.
- Chapman RJ, Lall VK, Maxeiner S, **Willecke K**, Deuchars J and King AE. (2013). Localization of neurones expressing the gap junction protein Connexin45 within the adult spinal dorsal horn: a study using Cx45-eGFP reporter mice. *Brain structure & function*, 218(3), 751-765.
- Chasan AI, **Beyer M**, Kurts C and **Burgdorf S**. (2013). Isolation of a specialized, antigen-loaded early endosomal subpopulation by flow cytometry. *Methods in molecular biology*, 960, 379-388.
- de la Vega de Leon A** and **Bajorath J**. (2013). Compound optimization through data set-dependent chemical transformations. *Journal of chemical information and modeling*, 53(6), 1263-1271.
- De Nardo D, Labzin LI, Kono H, Seki R, **Schmidt SV**, **Beyer M**, Xu D, Zimmer S, Lahrmann C, Schildberg FA, Vogelhuber J, **Kraut M**, **Ulas T**, Kerkusiek A, **Krebs W**, Bode N, Grebe A, Fitzgerald ML, Hernandez NJ, Williams BR, Knolle P, Kneilling M, Rocken M, Lutjohann D, Wright SD, **Schultze JL\*** and Latz E\*. (2013). High-density lipoprotein mediates anti-inflammatory reprogramming of macrophages via the transcriptional regulator ATF3. *Nature immunology*.
- Dimova D**, **Heikamp K**, **Stumpfe D** and **Bajorath J**. (2013). Do medicinal chemists learn from activity cliffs? A systematic evaluation of cliff progression in evolving compound data sets. *Journal of medicinal chemistry*, 56(8), 3339-3345.
- Dimova D**, **Stumpfe D** and **Bajorath J**. (2013). Quantifying the fingerprint descriptor dependence of structure-activity relationship information on a large scale. *Journal of chemical information and modeling*, 53(9), 2275-2281.

- Ebel P**, Vom Dorp K, Petrasch-Parwez E, Zlomuzica A, Kinugawa K, Mariani J, Minich D, Ginkel C, Welcker J, **Degen J**, Eckhardt M, Dere E, Dormann P and **Willecke K**. (2013). Inactivation of ceramide synthase 6 in mice results in an altered sphingolipid metabolism and behavioral abnormalities. *The Journal of biological chemistry*, 288(29), 21433-21447.
- Fischer N and **Kandt C**. (2013). Porter domain opening and closing motions in the multi-drug efflux transporter AcrB. *Biochimica et biophysica acta*, 1828(2), 632-641.
- Franken L, Kurts C and **Burgdorf S**. (2013). Monitoring the intracellular routing of internalized antigens by immunofluorescence microscopy. *Methods in molecular biology*, 960, 371-377.
- Furtmann N and Bajorath J**. (2013). Evaluation of molecular model-based discovery of ecto-5'-nucleotidase inhibitors on the basis of X-ray structures. *Bioorganic & medicinal chemistry*, 21(21), 6616-6622.
- Gaebler A**, Milan R, Straub L, Hoelper D, **Kuerschner L and Thiele C**. (2013). Alkyne lipids as substrates for click chemistry-based in vitro enzymatic assays. *Journal of lipid research*, 54(8), 2282-2290.
- Giuliani F, Giuliani G, **Bauer R** and Rabouille C. (2013). Innexin 3, a new gene required for dorsal closure in Drosophila embryo. *PLoS one*, 8(7), e69212.
- Globisch T, Steiner N, Fulle L**, Lukacs-Kornek V, Degrandi D, Dresing P, Alferink J, Lang R, Pfeffer K, **Beyer M, Weighardt H**, Kurts C, **Ulas T, Schultze JL and Forster I**. (2013). Cytokine-dependent regulation of dendritic cell differentiation in the splenic microenvironment. *European journal of immunology*.
- Goller T**, Seibold UK, Kremmer E, Voos W and **Kolanus W**. (2013). Atad3 function is essential for early post-implantation development in the mouse. *PLoS one*, 8(1), e54799.
- Gupta-Ostermann D, Hu Y and Bajorath J**. (2013). Systematic mining of analog series with related core structures in multi-target activity space. *Journal of computer-aided molecular design*, 27(8), 665-674.
- Hammerschmidt T, Kummer MP, Terwel D, Martinez A, Gorji A, Pape HC, Rommelfanger KS, Schroeder JP, Stoll M, **Schultze J**, Weinshenker D and Heneka MT. (2013). Selective loss of noradrenaline exacerbates early cognitive dysfunction and synaptic deficits in APP/PS1 mice. *Biological psychiatry*, 73(5), 454-463.
- Heikamp K and Bajorath J**. (2013). Comparison of confirmed inactive and randomly selected compounds as negative training examples in support vector machine-based virtual screening. *Journal of chemical information and modeling*, 53(7), 1595-1601.
- Heikamp K and Bajorath J**. (2013). Prediction of compounds with closely related activity profiles using weighted support vector machine linear combinations. *Journal of chemical information and modeling*, 53(4), 791-801.
- Heikamp K and Bajorath J**. (2013). The future of virtual compound screening. *Chemical biology & drug design*, 81(1), 33-40.
- Herzfeld T, Nolte D, Grznarova M, Hofmann A, **Schultze JL** and Muller U. (2013). X-linked dystonia parkinsonism syndrome (XDP, lubag): disease-specific sequence change DSC3 in TAF1/DYT3 affects genes in vesicular transport and dopamine metabolism. *Human molecular genetics*, 22(5), 941-951.
- Hu Y and Bajorath J**. (2013). How promiscuous are pharmaceutically relevant compounds? A data-driven assessment. *The AAPS journal*, 15(1), 104-111.
- Hu Y and Bajorath J**. (2013). Activity profile relationships between structurally similar promiscuous compounds. *European journal of medicinal chemistry*, 69C, 393-398.
- Hu Y and Bajorath J**. (2013). What is the likelihood of an active compound to be promiscuous? Systematic assessment of compound promiscuity on the basis of PubChem confirmatory bioassay data. *The AAPS journal*, 15(3), 808-815.
- Hu Y and Bajorath J**. (2013). Compound promiscuity: what can we learn from current data? *Drug discovery today*, 18(13-14), 644-650.
- Hu Y and Bajorath J**. (2013). Introduction of Target Cliffs as a Concept To Identify and Describe Complex Molecular Selectivity Patterns. *Journal of chemical information and modeling*.

- Hu Y and Bajorath J.** (2013). Systematic identification of scaffolds representing compounds active against individual targets and single or multiple target families. *Journal of chemical information and modeling*, 53(2), 312-326.
- Hu Y and Bajorath J.** (2013). High-resolution view of compound promiscuity. *F1000Research*, 2.
- Hu Y, Maggiora GM and Bajorath J.** (2013). Activity cliffs in PubChem confirmatory bioassays taking inactive compounds into account. *Journal of computer-aided molecular design*, 27(2), 115-124.
- Hussein M, Bettio M, Schmitz A, Hannam JS, Theis J, Mayer G, Dosa S, Gutschow M and Famulok M.** (2013). Cyp19A1 is a covalent inhibitor of the pleckstrin homology domain of cytohesin. *Angewandte Chemie*, 52(36), 9529-9533.
- Jux B, Staratschek-Jox A, Penninger JM, Schultze JL and Kolanus W.** (2013). Vav1 regulates MHCII expression in murine resting and activated B cells. *International immunology*, 25(5), 307-317.
- Koch DC, Raunest M, Harder T and Kandt C.** (2013). Unilateral access regulation: ground state dynamics of the *Pseudomonas aeruginosa* outer membrane efflux duct OprM. *Biochemistry*, 52(1), 178-187.
- Kremser C, Klemm AL, van Uelft M, Imgrund S, Ginkel C, Hartmann D and Willecke K.** (2013). Cell-type-specific expression pattern of ceramide synthase 2 protein in mouse tissues. *Histochemistry and cell biology*, 140(5), 533-547.
- Langhans B, Kramer B, Louis M, Nischalke HD, Huneburg R, **Staratschek-Jox A**, Odenthal M, Manekeller S, Schepke M, Kalff J, Fischer HP, **Schultze JL** and Spengler U. (2013). Intrahepatic IL-8 producing Foxp3(+)CD4(+) regulatory T cells and fibrogenesis in chronic hepatitis C. *Journal of hepatology*, 59(2), 229-235.
- Lauria I, van Uum J, Mjumjunov-Crncevic E, Walrafen D, Spitta L, Thiele C and Lang T.** (2013). GLTP mediated non-vesicular GM1 transport between native membranes. *PloS one*, 8(3), e59871.
- Lentz CS, **Stumpfe D, Bajorath J, Famulok M, Hoerauf A and Pfarr KM.** (2013). New chemotypes for wALADin1-like inhibitors of delta-aminolevulinic acid dehydratase from *Wolbachia* endobacteria. *Bioorganic & medicinal chemistry letters*, 23(20), 5558-5562.
- Li T and Famulok M.** (2013). I-motif-programmed functionalization of DNA nanocircles. *Journal of the American Chemical Society*, 135(4), 1593-1599.
- Lohmann D, Spandl J, Stevanovic A, Schoene M, Philippou-Massier J and Thiele C.** (2013). Monoubiquitination of ancient ubiquitous protein 1 promotes lipid droplet clustering. *PloS one*, 8(9), e72453.
- Lubkemeier I, Andrie R, Lickfett L, Bosen F, Stockigt F, Dobrowolski R, Draffehn AM, Fregeac J, Schultze JL, Bukauskas FF, Schrickel JW and Willecke K.** (2013). The Connexin40A96S mutation from a patient with atrial fibrillation causes decreased atrial conduction velocities and sustained episodes of induced atrial fibrillation in mice. *Journal of molecular and cellular cardiology*.
- Lubkemeier I, Requardt RP, Lin X, Sasse P, Andrie R, Schrickel JW, Chkourko H, Bukauskas FF, Kim JS, Frank M, Malan D, Zhang J, Wirth A, Dobrowolski R, Mohler PJ, Offermanns S, Fleischmann BK, Delmar M and Willecke K.** (2013). Deletion of the last five C-terminal amino acid residues of connexin43 leads to lethal ventricular arrhythmias in mice without affecting coupling via gap junction channels. *Basic research in cardiology*, 108(3), 348.
- Magbanua E, Zivkovic T, Hansen B, Beschorner N, Meyer C, Lorenzen I, Grotzinger J, Hauber J, Torda AE, **Mayer G**, Rose-John S and Hahn U. (2013). d(GGGT) 4 and r(GGGU) 4 are both HIV-1 inhibitors and interleukin-6 receptor aptamers. *RNA biology*, 10(2), 216-227.
- May D, Tress O, Seifert G and **Willecke K.** (2013). Connexin47 protein phosphorylation and stability in oligodendrocytes depend on expression of Connexin43 protein in astrocytes. *The Journal of neuroscience : the official journal of the Society for Neuroscience*, 33(18), 7985-7996.
- Muller R, Herr C, Sukumaran SK, Omosigho NN, Plomann M, Riyahi TY, **Stumpf M**, Swaminathan K, Tsangarides M, Yiannakou K, Blau-Wasser R, Gallinger C, Schleicher M, **Kolanus W** and Noegel AA. (2013). The cytohesin paralog Sec7 of *Dictyostelium discoideum* is required for phagocytosis and cell motility. *Cell communication and signaling : CCS*, 11, 54.
- Nakabachi A, Ueoka R, Oshima K, Teta R, Mangoni A, Gurgui M, Oldham NJ, **van Echten-Deckert G**, Okamura K, Yamamoto K, Inoue H, Ohkuma M, Hongoh Y, Miyagishima S, Hattori M, Piel J and Fukatsu T. (2013). Defensive Bacteriome Symbiont with a Drastically Reduced Genome. *Current Biology*, 23(15), 1478-1484.

- Namasivayam V, Hu Y, Balfer J and Bajorath J.** (2013). Classification of compounds with distinct or overlapping multi-target activities and diverse molecular mechanisms using emerging chemical patterns. *Journal of chemical information and modeling*, 53(6), 1272-1281.
- Niebel B, Wosnitza CI and Famulok M.** (2013). RNA-aptamers that modulate the RhoGEF activity of Tiam1. *Bioorganic & medicinal chemistry*, 21(20), 6239-6246.
- Nino-Castro A, Abdullah Z, Popov A, Thabet Y, Beyer M, Knolle P, Domann E, Chakraborty T, Schmidt SV and Schultze JL.** (2013). The IDO1-induced kynurenines play a major role in the antimicrobial effect of human myeloid cells against *Listeria monocytogenes*. *Innate immunity*.
- Pech T, Ohsawa I, Praktiknjo M, Overhaus M, Wehner S, von Websky M, Abu-Elmagd K, **van Echten-Deckert G**, Kalff JC and Schaefer N. (2013). A natural tetrahydropyrimidine, ectoine, ameliorates ischemia reperfusion injury after intestinal transplantation in rats. *Pathobiology : journal of immunopathology, molecular and cellular biology*, 80(2), 102-110.
- Penno A, Hackenbroich G and Thiele C.** (2013). Phospholipids and lipid droplets. *Biochimica et biophysica acta*, 1831(3), 589-594.
- Pierini R, Perret M, Djebali S, Juruj C, Michallet MC, **Forster I**, Marvel J, Walzer T and Henry T. (2013). ASC Controls IFN-gamma Levels in an IL-18-Dependent Manner in Caspase-1-Deficient Mice Infected with *Francisella novicida*. *Journal of immunology*, 191(7), 3847-3857.
- Piyanova A, Albayram O, Rossi CA, Farwanah H, Michel K, Nicotera P, **Sandhoff K** and Bilkei-Gorzo A. (2013). Loss of CB1 receptors leads to decreased cathepsin D levels and accelerated lipofuscin accumulation in the hippocampus. *Mechanisms of ageing and development*.
- Riquelme MA, Cea LA, Vega JL, Boric MP, Monyer H, Bennett MV, Frank M, **Willecke K** and Saez JC. (2013). The ATP required for potentiation of skeletal muscle contraction is released via pannexin hemichannels. *Neuropharmacology*, 75, 594-603.
- Rohrbach F, Schafer F, Fichte MA, Pfeiffer F, Muller J, Potzsch B, Heckel A and Mayer G.** (2013). Aptamer-Guided Caging for Selective Masking of Protein Domains. *Angewandte Chemie*.
- Sandhoff K.** (2013). Metabolic and cellular bases of sphingolipidoses. *Biochemical Society transactions*, 41(6), 1562-1568.
- Sandhoff K** and Harzer K. (2013). Gangliosides and gangliosidoses: principles of molecular and metabolic pathogenesis. *The Journal of neuroscience : the official journal of the Society for Neuroscience*, 33(25), 10195-10208.
- Schermer B, Bartels V, Frommolt P, Habermann B, Braun F, **Schultze JL**, Roodbergen M, Hoeijmakers JH, Schumacher B, Nurnberg P, Dolle ME, Benzing T, Muller RU and Kurschat CE. (2013). Transcriptional profiling reveals progeroid *Ercc1(-/Delta)* mice as a model system for glomerular aging. *BMC genomics*, 14, 559.
- Schulze H and Sandhoff K.** (2013). Sphingolipids and lysosomal pathologies. *Biochimica et biophysica acta*.
- Schwarzmann G, Arenz C and Sandhoff K.** (2013). Labeled chemical biology tools for investigating sphingolipid metabolism, trafficking and interaction with lipids and proteins. *Biochimica et biophysica acta*.
- Sohl G, Hombach S, **Degen J** and Odermatt B. (2013). The oligodendroglial precursor cell line Oli-neu represents a cell culture system to examine functional expression of the mouse gap junction gene connexin29 (*Cx29*). *Frontiers in pharmacology*, 4, 83.
- Stevanovic A and Thiele C.** (2013). Monotopic topology is required for lipid droplet targeting of ancient ubiquitous protein 1. *Journal of lipid research*, 54(2), 503-513.
- Stroh S, Sonntag S, Janssen-Bienhold U, Schultz K, Cimiotti K, Weiler R, Willecke K and Dedek K.** (2013). Cell-specific cre recombinase expression allows selective ablation of glutamate receptors from mouse horizontal cells. *PloS one*, 8(12), e83076.
- Stumpfe D, Dimova D, Heikamp K and Bajorath J.** (2013). Compound pathway model to capture SAR progression: comparison of activity cliff-dependent and -independent pathways. *Journal of chemical information and modeling*, 53(5), 1067-1072.
- Stumpfe D, Hu Y, Dimova D and Bajorath J.** (2013). Recent Progress in Understanding Activity Cliffs and Their Utility in Medicinal Chemistry. *Journal of medicinal chemistry*.

- Tecedor L, Stein CS, Schultz ML, Farwanah H, **Sandhoff K** and Davidson BL. (2013). CLN3 loss disturbs membrane microdomain properties and protein transport in brain endothelial cells. *The Journal of neuroscience : the official journal of the Society for Neuroscience*, 33(46), 18065-18079.
- Tigges J, **Weighardt H**, Wolff S, Gotz C, **Forster I**, Kohne Z, Huebenthal U, Merk HF, Abel J, Haarmann-Stemmann T, Krutmann J and Fritsche E. (2013). Aryl hydrocarbon receptor repressor (AhRR) function revisited: repression of CYP1 activity in human skin fibroblasts is not related to AhRR expression. *The Journal of investigative dermatology*, 133(1), 87-96.
- Vogt M and Bajorath J.** (2013). Similarity searching for potent compounds using feature selection. *Journal of chemical information and modeling*, 53(7), 1613-1619.
- Vogt M, Iyer P, Maggiora GM and Bajorath J.** (2013). Conditional probabilities of activity landscape features for individual compounds. *Journal of chemical information and modeling*, 53(7), 1602-1612.
- Zehner M and **Burgdorf S.** (2013). Regulation of antigen transport into the cytosol for cross-presentation by ubiquitination of the mannose receptor. *Molecular immunology*, 55(2), 146-148.
- Zhang B, Hu Y and Bajorath J.** (2013). SAR transfer across different targets. *Journal of chemical information and modeling*, 53(7), 1589-1594.